



BOHANCHI
PROFESSIONAL AUTO AC SYSTEM SUPPLIER

BOHANCHI

AUTO AC COMPRESSOR CLUTCHES

PRODUCT CATALOGUE

Professional Auto AC System Supplier



Guangzhou BOHANCHI Auto Parts Co., Ltd.

COMPANY PROFILE

■ Guangzhou BOHANCHI Auto Parts Co., Ltd.

BOHANCHI is a specialist brand for mid- to high-end automotive air conditioning system components. Based in Guangzhou, China, the brand focuses on automotive AC parts.

Professional Auto AC System Supplier

Unit 361, Room 201, No. 52 Kexue Avenue,
Huangpu District, Guangzhou, China



Guangzhou BOHANCHI Auto Parts Co., Ltd.
A specialist brand for mid- to high-end automotive air conditioning system components.



Manufacturing illustration

BOHANCHI


Professional Auto AC System Supplier

The catalogue includes compressor clutches, electromagnetic coils and bearings for automotive air conditioning applications.

COMPANY ADDRESS

Unit 361, Room 201, No. 52 Kexue Avenue,
Huangpu District, Guangzhou, China

MACHINING CENTER



Precision machining equipment

BRAND PROFILE



BOHANCHI

PROFESSIONAL AUTO AC SYSTEM SUPPLIER

BOHANCHI

**Professional Auto AC
System Supplier**

Automotive air conditioning
system components

TESTING AND AUTOMATION



01

Swash plate thickness measurement
and ball selection

02

Planetary plate and connecting rod
riveting machine



03

Compressor performance test bench

04

Coordinate measuring machine



05

Shim selection

BOHANCHI

Professional Auto AC System Supplier

01

DIE CASTING



02

AUTOMATION



03

WAREHOUSING



PROCESS AND EQUIPMENT

Manufacturing and testing equipment used in automotive air conditioning component production.

Pulley

CNC machining completes production in one clamping operation. The stated tolerance is 0.004 mm. The surface receives a plated finish.



Hub

Grinding increases friction between the hub and pulley to support clutch engagement. The surface receives a plated finish.



Coil

The source specifies high-temperature copper wire and an enamel coating. It states a coil efficiency of 1.5 times that of a standard coil.



REFERENCE PARAMETERS

Compressor model	508
Rated voltage	24 V
Belt grooves	2A
Effective outer diameter	132 mm
Bearing size	40 x 62 x 24 mm
Effective inner diameter	62 mm (compressor bore: 40 mm)
Hub outer diameter	120 mm
Hub inner diameter / keyway	12.9 mm / 2 mm
Torque	134.3 N.m
Power consumption	43 W max.
Maximum instantaneous speed	7000 r/min
Maximum continuous speed	6000 r/min
Weight	2.8 kg

COMPRESSOR CLUTCHES

01-62

HONDA 01-03

TOYOTA 04-10

NISSAN 11-14

MAZDA 15-18

MAZDA 19-21

KIA 22-23

HYUNDAI 24-26

FORD 27-29

VOLKSWAGEN 30-32

AUDI 33-34

MERCEDES-BENZ 35-36

BMW 37-39

BUS 40

CHEVROLET 41-43

VOLVO 44

FIAT 45

ISUZU / JMC / QINGLING 46

RENAULT 46

EXCAVATOR 47-49

CHERY 50

GREAT WALL / CHANGAN / SUZUKI 51-54

OPEL 55

PEUGEOT 56

TRUCK 57

SUBARU 58

OTHER APPLICATIONS 59-62

CLUTCH COILS

63-67

BEARINGS

68



B018C201

Application	Honda Civic
Belt grooves	7PK
Pulley diameter	106mm
Compressor model	TRE07
Rated voltage	12V
Bearing size	355020



B018C202

Application	Honda CR-V 2.0
Belt grooves	7PK
Pulley diameter	106mm
Compressor model	TRSE09
Rated voltage	12V
Bearing size	355020



B018C203

Application	Honda City
Belt grooves	5PK
Pulley diameter	118mm
Compressor model	TRSE07
Rated voltage	12V
Bearing size	355520



B018C204

Application	Honda CR-V
Belt grooves	7PK
Pulley diameter	105mm
Compressor model	HS110R
Rated voltage	12V
Bearing size	355020



B018C205

Application	Honda Accord 2.4
Belt grooves	7PK
Pulley diameter	138mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B018C206

Application	Honda CB3
Belt grooves	5PK
Pulley diameter	157.5mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B018C207

Application	Honda Jazz / Fit
Belt grooves	5PK
Pulley diameter	117mm
Compressor model	TRSA09
Rated voltage	12V
Bearing size	355020



B018C208

Application	Honda Spirior
Belt grooves	7PK
Pulley diameter	120mm
Compressor model	TRSE09
Rated voltage	12V
Bearing size	355520



B018C209

Application	Honda CD5
Belt grooves	6PK
Pulley diameter	156mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B018C210

Application	Honda Civic 2.0
Belt grooves	7PK
Pulley diameter	107mm
Compressor model	7R90
Rated voltage	12V
Bearing size	355020



B018C211

Application	Honda Jazz / Fit / City
Belt grooves	5PK
Pulley diameter	118mm
Compressor model	HKS-70
Rated voltage	12V
Bearing size	355520



B018C212

Application	Honda Civic 1.8
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	TR090
Rated voltage	12V
Bearing size	355020



B018C213

Application	Honda CR-V 2.4
Belt grooves	7PK
Pulley diameter	110mm
Compressor model	TRSE90
Rated voltage	12V
Bearing size	355020



B018C214

Application	Honda Civic 2.0
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	TR90
Rated voltage	12V
Bearing size	355020



B018C215

Application	Honda Accord 3.0
Belt grooves	6PK
Pulley diameter	153mm
Compressor model	SD7H15
Rated voltage	24V
Bearing size	355520



B018C216

Application	Honda CR-V
Belt grooves	7PK
Pulley diameter	117mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B018C217

Application	Honda Accord 2.3
Belt grooves	6PK
Pulley diameter	145mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B018C218

Application	Coaster
Belt grooves	7PK
Pulley diameter	117mm
Compressor model	TR090
Rated voltage	12V
Bearing size	355520



B018C219

Application	Honda Odyssey (older model)
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B018C220

Application	Honda Civic 93/94
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	TRS090
Rated voltage	12V
Bearing size	355020



B018C221

Application	Honda Accord 2.0
Belt grooves	7PK
Pulley diameter	120mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B018C222

Application	Honda Odyssey RB1
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B040C201

Application	New Toyota Prado / Lexus 430
Belt grooves	7PK
Pulley diameter	124mm
Compressor model	5SE12C
Rated voltage	
Bearing size	355212



B040C202

Application	Toyota Innova
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	DENSO
Rated voltage	12V
Bearing size	305222



B040C203

Application	Camry 2.4
Belt grooves	6PK
Pulley diameter	135mm
Compressor model	10PA10S
Rated voltage	12V
Bearing size	305222



B040C204

Application	Toyota Vios
Belt grooves	3PK
Pulley diameter	110mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C205

Application	Toyota Hiace
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	DENSO10PA17C
Rated voltage	12V
Bearing size	305222



B040C206

Application	Yaris
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B040C207

Application	Toyota Yaris
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	DENSO5SEU09C
Rated voltage	
Bearing size	355212



B040C208

Application	Vios
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B040C209

Application	Toyota Previa
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B040C210

Application	Toyota Camry 2.2
Belt grooves	5PK
Pulley diameter	139.5mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B040C211

Application	Camry 2.4
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	355222



B040C212

Application	Toyota Reiz 2.5
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	355222



B040C213

Application	New Camry 2.5
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	
Rated voltage	
Bearing size	



B040C215

Application	Toyota Camry 2.0
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	Denso6SEU16C
Rated voltage	12V
Bearing size	355212
Model year	2012

B040C214

Application	Toyota Hilux / Vigo
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C216

Application	New Toyota Camry
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	6SEU16C
Rated voltage	12V
Bearing size	355212
Model year	2007



B040C217

Application	Toyota LiteAce
Belt grooves	1A
Pulley diameter	137mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B040C218

Application	Toyota Crown
Belt grooves	6PK
Pulley diameter	136mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B040C219

Application	Land Cruiser
Belt grooves	1A
Pulley diameter	133mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B040C220

Application	Toyota Corolla
Belt grooves	6PK
Pulley diameter	145mm
Compressor model	10S15C
Rated voltage	12V
Bearing size	305222



B040C221

Application	Toyota Corolla
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	DENSO10S06C
Rated voltage	12V
Bearing size	304720



B040C222

Application	06C-6PK Toyota Corolla / Outback
Belt grooves	6PK
Pulley diameter	98mm
Compressor model	Denso 10S06C
Rated voltage	12V
Bearing size	304720



B040C223

Application	Toyota Hiace
Belt grooves	4PK
Pulley diameter	103mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B040C224

Application	Toyota Avanza
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	10S11E
Rated voltage	12V
Bearing size	305220



B040C225

Application	Toyota Avanza 1.5CC
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C226

Application	Toyota Vios 149
Belt grooves	4PK
Pulley diameter	149mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C227

Application	Toyota Vios
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C228

Application	Toyota Vigo
Belt grooves	7PK
Pulley diameter	117mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C229

Application	Toyota Corolla
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	Denso5SE12C
Rated voltage	
Bearing size	355212



B040C230

Application	Toyota Corolla
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	6SEU14C
Rated voltage	
Bearing size	355212



B040C231

Application	Toyota Yaris 115
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	Denso5SER009S
Rated voltage	
Bearing size	355212



B040C232

Application	Toyota Camry 2.0
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C233

Application	New Vios
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	10S13C
Rated voltage	12V
Bearing size	305220



B040C234

Application	Toyota
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C235

Application	New Vios
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	10S13C
Rated voltage	12V
Bearing size	305220



B040C236

Application	New Vios (export)
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C237

Application	Corolla
Belt grooves	6PK
Pulley diameter	143.5mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C238

Application	10P Vios 149
Belt grooves	4PK
Pulley diameter	149mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C239

Application	10PA Vios 135
Belt grooves	4PK
Pulley diameter	135mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C240

Application	Vios rear single A
Belt grooves	1A
Pulley diameter	120mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	304720



B040C241

Application	Toyota 4700
Belt grooves	4PK
Pulley diameter	117mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B040C242

Application	Toyota 3400
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C243

Application	Toyota Vios
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C244

Application	L2400 small
Belt grooves	
Pulley diameter	125mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	355222



B040C245

Application	Toyota Duling V
Belt grooves	4PK
Pulley diameter	143.5mm
Compressor model	10PA20C
Rated voltage	12V
Bearing size	305222



B040C246

Application	Iveco 8000
Belt grooves	1A
Pulley diameter	143mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	355520



B040C247

Application	Toyota Vios single groove
Belt grooves	1A
Pulley diameter	120mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B040C248

Application	Toyota / Denso Fengxing
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C249

Application	Thailand export Acis
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10S15C
Rated voltage	12V
Bearing size	305222



B040C251

Application	Highlander
Belt grooves	6PK
Pulley diameter	134mm
Compressor model	
Rated voltage	
Bearing size	



B040C253

Application	Older Previa
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B040C250

Application	2014 RAV4 / Yaris
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	
Rated voltage	
Bearing size	



B040C252

Application	Corolla
Belt grooves	7PK
Pulley diameter	135mm
Compressor model	75E16C
Rated voltage	12V
Bearing size	355212



B032C201

Application	Nissan Teana 3.5
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C202

Application	Nissan X-Trail 2.5
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	CWV618
Rated voltage	12V
Bearing size	355520



B032C203

Application	Cefiro 508 shaft
Belt grooves	6PK
Pulley diameter	138mm
Compressor model	CWV618
Rated voltage	12V
Bearing size	406224



B032C204

Application	Nissan Teana 2.3
Belt grooves	6PK
Pulley diameter	139mm
Compressor model	DKS17D
Rated voltage	12V
Bearing size	355520



B032C205

Application	Tiida
Belt grooves	7PK
Pulley diameter	114mm
Compressor model	CR10
Rated voltage	12V
Bearing size	355520



B032C206

Application	Cefiro 507 shaft
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	NISSAN
Rated voltage	12V
Bearing size	355520



B032C207

Application	NISSAN GRANDLIVINA2.0 / /BLUEBRIDsyphy
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	CR10
Rated voltage	12V
Bearing size	355520



B032C208

Application	NISSAN GRANDLIVINA1.8
Belt grooves	7PK
Pulley diameter	115mm
Compressor model	CR10
Rated voltage	12V
Bearing size	355520



B032C209

Application	Delica
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C211

Application	Panasonic Tiida
Belt grooves	7PK
Pulley diameter	114mm
Compressor model	DKV08R
Rated voltage	12V
Bearing size	324718



B032C213

Application	Qashqai 1.6
Belt grooves	7PK
Pulley diameter	119mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C215

Application	Teana 2.0
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C210

Application	Freeca
Belt grooves	4PK
Pulley diameter	135mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C212

Application	DKS-A
Belt grooves	1A
Pulley diameter	125mm
Compressor model	DKS17CH
Rated voltage	12V
Bearing size	355520



B032C214

Application	Teana 2.5
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B032C216

Application	TIDA
Belt grooves	7PK
Pulley diameter	110mm
Compressor model	CR10
Rated voltage	12V
Bearing size	355520



B032C217

Application	Fengxing Jingyi / Tianlong
Belt grooves	5PK
Pulley diameter	125mm
Compressor model	SD507
Rated voltage	12V
Bearing size	355520



B032C218

Application	New Nissan March / Sunny
Belt grooves	6PK
Pulley diameter	103mm
Compressor model	DKS17CH
Rated voltage	12V
Bearing size	324718



B032C219

Application	DKS Lingshuai
Belt grooves	5PK
Pulley diameter	mm
Compressor model	DKS17
Rated voltage	12V
Bearing size	355520



B032C220

Application	Changfeng Liebao
Belt grooves	
Pulley diameter	
Compressor model	DKS17
Rated voltage	24V
Bearing size	



B032C221

Application	Paladin
Belt grooves	1PK
Pulley diameter	
Compressor model	DKS170
Rated voltage	12V
Bearing size	



B032C222

Application	Nissan Fengtian
Belt grooves	7PK
Pulley diameter	120mm
Compressor model	TR90G
Rated voltage	12V
Bearing size	355020



B032C223

Application	New Nissan March / Sunny
Belt grooves	7PK
Pulley diameter	103mm
Compressor model	CR10
Rated voltage	12V
Bearing size	324718



B032C224

Application	DKV
Belt grooves	1A
Pulley diameter	125mm
Compressor model	DKS17CH
Rated voltage	12V
Bearing size	355520



B032C225

Application	Fengshen 2nd generation
Belt grooves	6PK
Pulley diameter	139mm
Compressor model	
Rated voltage	12V
Bearing size	



B032C226

Application	Sylphy 2.0
Belt grooves	6PK
Pulley diameter	mm
Compressor model	CR10
Rated voltage	12V
Bearing size	355520



B032C227

Application	Sylphy 1.6
Belt grooves	7PK
Pulley diameter	
Compressor model	
Rated voltage	12V
Bearing size	



B032C228

Application	Qashqai 2.0
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	CWV618
Rated voltage	12V
Bearing size	406224



B032C229

Application	X-Trail
Belt grooves	6PK
Pulley diameter	129mm
Compressor model	CWV615M
Rated voltage	12V
Bearing size	305220



B032C230

Application	Fengshen 3rd / 4th generation
Belt grooves	6PK
Pulley diameter	139mm
Compressor model	
Rated voltage	12V
Bearing size	355520

B032C231

Application	Older Dongfeng Teana 2.0
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B031C201

Application	MITSUBISHISPACEGEAR / DSL
Belt grooves	1A
Pulley diameter	118.5mm
Compressor model	MSC1v30CV
Rated voltage	12V
Bearing size	406224



B031C202

Application	MITSUBISHILANCER
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	MSC90C
Rated voltage	12V
Bearing size	355020



B031C203

Application	MITSUBISHISTRADATRITON
Belt grooves	5PK
Pulley diameter	118.5mm
Compressor model	DKS15D
Rated voltage	12V
Bearing size	355520



B031C204

Application	VOLKSWAGEN POLO/KODA
Belt grooves	4PK
Pulley diameter	112mm
Compressor model	SANDEN7B10
Rated voltage	12V
Bearing size	355220
Model year	2004



B031C205

Application	MITSUBISHISTRADA / TRITON
Belt grooves	1A
Pulley diameter	125mm
Compressor model	DKS15D
Rated voltage	12V
Bearing size	355520



B031C206

Application	LANCER
Belt grooves	5PK
Pulley diameter	99mm
Compressor model	MSC90C
Rated voltage	12V
Bearing size	355020



B031C207

Application	MITSUBISHIECLIPSE
Belt grooves	6PK
Pulley diameter	102mm
Compressor model	MSC105
Rated voltage	12V
Bearing size	355020



B031C208

Application	MITSUBISHILANCER
Belt grooves	1B
Pulley diameter	139mm
Compressor model	10P20C
Rated voltage	24V
Bearing size	305222



B031C209

Application	Freeca
Belt grooves	4PK
Pulley diameter	133mm
Compressor model	DKS17
Rated voltage	12V
Bearing size	355520



B031C210

Application	Mitsubishi
Belt grooves	4PK
Pulley diameter	138mm
Compressor model	
Rated voltage	12V
Bearing size	406224



B031C211

Application	V31
Belt grooves	4PK
Pulley diameter	142mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B031C212

Application	Mitsubishi Square compressor
Belt grooves	1B
Pulley diameter	140mm
Compressor model	
Rated voltage	12V
Bearing size	406224



B031C213

Application	Mitsubishi 132
Belt grooves	1A
Pulley diameter	143mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B031C214

Application	Mitsubishi Lingshuai
Belt grooves	5PK
Pulley diameter	138mm
Compressor model	HCC
Rated voltage	12V
Bearing size	305523



B031C215

Application	Pajero
Belt grooves	1A
Pulley diameter	143mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B031C216

Application	Mitsubishi Lingshen
Belt grooves	5PK
Pulley diameter	115mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B031C217

Application	KIKI Mitsubishi
Belt grooves	1A
Pulley diameter	123mm
Compressor model	DKS
Rated voltage	12V
Bearing size	355520



B031C218

Application	KIKI Mitsubishi
Belt grooves	5PK
Pulley diameter	131mm
Compressor model	DKS
Rated voltage	12V
Bearing size	355520



B031C219

Application	KIKI Mitsubishi
Belt grooves	2A
Pulley diameter	128mm
Compressor model	DKS
Rated voltage	12V
Bearing size	355520



B031C220

Application	Mitsubishi Outlander (Import version)
Belt grooves	6PK
Pulley diameter	98mm
Compressor model	TR090
Rated voltage	12V
Bearing size	355520



B031C221

Application	New Outlander Mitsubishi
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	QS90
Rated voltage	12V
Bearing size	355020



B031C222

Application	Small Mitsubishi
Belt grooves	5PK
Pulley diameter	98mm
Compressor model	QS90
Rated voltage	12V
Bearing size	324718



B031C223

Application	V73 Mitsubishi
Belt grooves	7PK
Pulley diameter	123mm
Compressor model	10PA20C
Rated voltage	12V
Bearing size	305222



B031C224

Application	KIKI Mitsubishi
Belt grooves	7PK
Pulley diameter	131mm
Compressor model	DKS
Rated voltage	12V
Bearing size	355520



B031C225

Application	DKS Mitsubishi
Belt grooves	5PK
Pulley diameter	118mm
Compressor model	DKS
Rated voltage	12V
Bearing size	355520



B031C226

Application	Mitsubishi Lancer EX 2012
Belt grooves	6PK
Pulley diameter	107mm
Compressor model	QS90
Rated voltage	12V
Bearing size	324718



B031C227

Application	Mitsubishi
Belt grooves	5PK
Pulley diameter	98mm
Compressor model	QS90
Rated voltage	12V
Bearing size	324718



B031C228

Application	ITSUBISHIOUTLANDER
Belt grooves	6PK
Pulley diameter	117mm
Compressor model	MSC105CA
Rated voltage	12V
Bearing size	355020



B031C229

Application	MitsubishiV32
Belt grooves	1A
Pulley diameter	143mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B031C230

Application	MitsubishiV31
Belt grooves	4PK
Pulley diameter	145mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B027C201

Application	Premacy
Belt grooves	4PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355222



B027C202

Application	Mazda Familia 2nd generation (Futong)
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355222



B027C203

Application	MAZDA ZOOM
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	325523



B027C204

Application	Mazda Familia 2nd generation
Belt grooves	4PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355222



B027C205

Application	Mazda Familia 2nd generation (Panasonic)
Belt grooves	6PK
Pulley diameter	124.5mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355520



B027C206

Application	ZOTYE
Belt grooves	5PK
Pulley diameter	124.5mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	325523



B027C207

Application	323
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	325523



B027C208

Application	MAZDA HAPPIN
Belt grooves	6PK
Pulley diameter	112mm
Compressor model	PANASONIC
Rated voltage	
Bearing size	355220
Model year	2004



B027C209

Application	MAZDA 2
Belt grooves	6PK
Pulley diameter	121mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	324718



B027C210

Application	MAZDA 5
Belt grooves	5PK
Pulley diameter	100mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	324718



B027C211

Application	MAZDA X67
Belt grooves	6PK
Pulley diameter	100mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355220



B027C212

Application	MAZDA 6
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355520



B027C213

Application	MAZDA FAMILIA1.6
Belt grooves	4PK
Pulley diameter	138mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355523



B027C214

Application	MAZDA 323
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	325523



B027C215

Application	MAZDA 32.0
Belt grooves	5PK
Pulley diameter	100mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	324718



B027C216

Application	MAZDA FAMILIA1.8
Belt grooves	5PK
Pulley diameter	130mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	325523



B027C217

Application	Premacy
Belt grooves	5PK
Pulley diameter	125mm
Compressor model	10S17
Rated voltage	12V
Bearing size	355222



B027C218

Application	MAZDA 5 (export version)
Belt grooves	5PK
Pulley diameter	118mm
Compressor model	PANSONIC Panasonic
Rated voltage	12V
Bearing size	325523



B027C219

Application	MAZDA 2
Belt grooves	6PK
Pulley diameter	121mm
Compressor model	PANSONIC Panasonic
Rated voltage	12V
Bearing size	324718



B027C220

Application	Mudanjiang Futong 4PK
Belt grooves	4PK
Pulley diameter	135mm
Compressor model	10S17
Rated voltage	12V
Bearing size	355222



B027C221

Application	Haima Knight
Belt grooves	5PK
Pulley diameter	125mm
Compressor model	PANASONIC
Rated voltage	12V
Bearing size	355220



B024C201

Application	KIA maxima
Belt grooves	4PK
Pulley diameter	124mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B024C202

Application	Kia Carens 30 Shaft
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B024C203

Application	KIA Optima
Belt grooves	4PK
Pulley diameter	124mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	355222



B024C204

Application	KIA Sportage
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	355222



B024C205

Application	11KIA Forte11 Model Kia Forte
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	355222



B024C206

Application	09KIA Forte09 Model Kia Forte
Belt grooves	6PK
Pulley diameter	
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	355222



B024C207

Application	KIA Carnival2.7
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	24V
Bearing size	305222



B024C208

Application	KIA Carnival
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B024C209

Application	K5
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	HCC
Rated voltage	12V
Bearing size	355220



B024C210

Application	Carens 35 Shaft
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	HCC-HS20
Rated voltage	24V
Bearing size	355222



B024C211

Application	KIA Forte
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B024C212

Application	Carnival 3.5
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B024C213

Application	KIA Yueda
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	Doowon10PA17C
Rated voltage	24V
Bearing size	406220.625



B024C214

Application	Sportage
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	Doowon10PA17C
Rated voltage	12V
Bearing size	305222



B019C201

Application	NEWELANTRA
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	HCC-VS16
Rated voltage	12V
Bearing size	355220



B019C202

Application	HYUNDAI GETZ
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	HS15
Rated voltage	12V
Bearing size	305523



B019C203

Application	Ford Front Single A
Belt grooves	1PK
Pulley diameter	138mm
Compressor model	
Rated voltage	12V
Bearing size	305523



B019C204

Application	HCC Export version
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	HS11
Rated voltage	12V
Bearing size	355220



B019C205

Application	HCC Carens
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	HCC-Vs18
Rated voltage	12V
Bearing size	305222



B019C206

Application	GENESIS3.8
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	
Rated voltage	12V
Bearing size	355520



B019C207

Application	HYUNDAI Elantra
Belt grooves	4PK
Pulley diameter	127mm
Compressor model	HCC
Rated voltage	12V
Bearing size	305523



B019C208

Application	HCC- Single A
Belt grooves	1A
Pulley diameter	138mm
Compressor model	HCC-Vs18
Rated voltage	12V
Bearing size	305523



B019C209

Application	Santa Fe
Belt grooves	6PK
Pulley diameter	127mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305523305222



B019C210

Application	HCC-2A
Belt grooves	2PK
Pulley diameter	138mm
Compressor model	
Rated voltage	12V
Bearing size	305523



B019C211

Application	Elantra Yuedong
Belt grooves	6PK
Pulley diameter	127mm
Compressor model	HS18
Rated voltage	12V
Bearing size	305523



B019C212

Application	HCC
Belt grooves	4PK
Pulley diameter	138mm
Compressor model	HS16
Rated voltage	12V
Bearing size	305523



B019C213

Application	HCC
Belt grooves	7PK
Pulley diameter	123mm
Compressor model	
Rated voltage	12V
Bearing size	305523



B019C214

Application	HYUNDAI 7
Belt grooves	1A
Pulley diameter	123mm
Compressor model	DKS17CH
Rated voltage	24V
Bearing size	355520



B019C215

Application	Verna Hyundai Verna
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	HCC
Rated voltage	12V
Bearing size	355220



B019C216

Application	New ix35
Belt grooves	
Pulley diameter	
Compressor model	DKV08R
Rated voltage	12V
Bearing size	324718



B019C217

Application	HCC Lingshuai
Belt grooves	5PK
Pulley diameter	138mm
Compressor model	HCC-vs18
Rated voltage	12V
Bearing size	305523



B019C219

Application	JAC Heyue
Belt grooves	5PK
Pulley diameter	139mm
Compressor model	
Rated voltage	12V
Bearing size	305523



B019C221

Application	Hyundai Sonata / Refine
Belt grooves	5PK
Pulley diameter	133mm
Compressor model	HC15
Rated voltage	12V
Bearing size	305523



B019C223

Application	HYUNDAI SONATASTAFE
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	HRS18
Rated voltage	12V
Bearing size	355220



B019C218

Application	ELANTRA
Belt grooves	
Pulley diameter	128mm
Compressor model	
Rated voltage	12V
Bearing size	



B019C220

Application	KIA K5/SONATA8
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	HCC
Rated voltage	
Bearing size	355220



B019C222

Application	HYUNDAI SANTANA2.0 / YASHENTE
Belt grooves	4PK
Pulley diameter	127mm
Compressor model	HCC-VS16
Rated voltage	12V
Bearing size	355220



B019C224

Application	HYUNDAI SONATA2.7
Belt grooves	6PK
Pulley diameter	127mm
Compressor model	HCC
Rated voltage	12V
Bearing size	305523



B015C201

Application	Ford Ranger / Mondeo
Belt grooves	1A
Pulley diameter	136mm
Compressor model	HS5
Rated voltage	12V
Bearing size	305523



B015C202

Application	FORD MONDEO
Belt grooves	6PK
Pulley diameter	109mm
Compressor model	FS10
Rated voltage	12V
Bearing size	355020



B015C203

Application	FORD
Belt grooves	4PK
Pulley diameter	138mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C204

Application	FORD FOCUS
Belt grooves	5PK
Pulley diameter	139mm
Compressor model	VS16
Rated voltage	12V
Bearing size	355520



B015C205

Application	FORD MONDEO2.3
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	SCROLL
Rated voltage	12V
Bearing size	355020



B015C206

Application	FORD MONDEO2.0
Belt grooves	7PK
Pulley diameter	115mm
Compressor model	SCROLL
Rated voltage	12V
Bearing size	355020



B015C207

Application	FORD
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C208

Application	FORD
Belt grooves	8PK
Pulley diameter	130mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C209

Application	ESCAPE
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	FS15
Rated voltage	12V
Bearing size	305523



B015C210

Application	Ford Front Single
Belt grooves	1PK
Pulley diameter	136mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C211

Application	FORD FIESTA
Belt grooves	6PK
Pulley diameter	144.5mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C212

Application	FORD Transit
Belt grooves	7PK
Pulley diameter	mm
Compressor model	DKV08R
Rated voltage	12V
Bearing size	324718



B015C213

Application	FORD FOCUS
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C214

Application	FORD
Belt grooves	7PK
Pulley diameter	138mm
Compressor model	FS10
Rated voltage	12V
Bearing size	305523



B015C215

Application	New model Fiesta
Belt grooves	6PK
Pulley diameter	144.5mm
Compressor model	HCC
Rated voltage	12V
Bearing size	305523



B015C216

Application	JMC Transit
Belt grooves	4PK
Pulley diameter	139mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	355222



B015C217

Application	SP21 Transit
Belt grooves	4PK
Pulley diameter	
Compressor model	10S17C
Rated voltage	12V
Bearing size	355220



B015C219

Application	Ford Mercury
Belt grooves	6PK
Pulley diameter	129mm
Compressor model	CR10
Rated voltage	12V
Bearing size	305523



B015C221

Application	HCC Carens
Belt grooves	6PK
Pulley diameter	122.5mm
Compressor model	HCC-HS15
Rated voltage	12V
Bearing size	305222



B015C218

Application	ESCAPE2.3
Belt grooves	6PK
Pulley diameter	122.5mm
Compressor model	HCC-HS18
Rated voltage	12V
Bearing size	305222



B015C220

Application	FORD
Belt grooves	
Pulley diameter	119mm
Compressor model	F150
Rated voltage	12V
Bearing size	305523



B042C201

Application	VWGOLF6
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	
Rated voltage	12V
Bearing size	355212



B042C203

Application	SANTANA3000
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	DENSO10PA17C
Rated voltage	12V
Bearing size	355222



B042C205

Application	VWGOL Volkswagen Gol
Belt grooves	6PK
Pulley diameter	119mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355520



B042C207

Application	V5 Bora
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	SANDEV510
Rated voltage	12V
Bearing size	406220.625
Model year	2004



B042C202

Application	Volkswagen 508 Bora
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	SANDEN
Rated voltage	12V
Bearing size	405724



B042C204

Application	PASSAT
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	DENSO10PA16C
Rated voltage	12V
Bearing size	355222



B042C206

Application	SANTANA2000
Belt grooves	2A
Pulley diameter	125mm
Compressor model	SANDEN
Rated voltage	12V
Bearing size	405724



B042C208

Application	V5 Jetta
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B042C209

Application	VW Volkswagen
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B042C210

Application	VW Volkswagen
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B042C211

Application	MAGOTAN
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B042C212

Application	508JETTA508 Jetta
Belt grooves	5PK
Pulley diameter	119mm
Compressor model	SANDEN
Rated voltage	12V
Bearing size	405724



B042C213

Application	10S Patent type Emgrand
Belt grooves	7PK
Pulley diameter	120mm
Compressor model	TR90G
Rated voltage	12V
Bearing size	355020



B042C214

Application	508 Bora
Belt grooves	5PK
Pulley diameter	119mm
Compressor model	SD508
Rated voltage	12V
Bearing size	406224



B042C215

Application	Shichao
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	SD
Rated voltage	24V
Bearing size	405724

B042C216

Application	VW Volkswagen
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	12V
Bearing size	



B042C217

Application	CARAVELLE/T4/A3
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	SD7V16
Rated voltage	12V
Bearing size	355520



B042C219

Application	VWGOLF5
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	5SEU16C
Rated voltage	12V
Bearing size	355220



B042C221

Application	SKOAO Volkswagen Bora
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	SD7V16
Rated voltage	12V
Bearing size	355520



B042C223

Application	VWT5 Volkswagen Touareg
Belt grooves	1PK
Pulley diameter	
Compressor model	7seu16c
Rated voltage	12V
Bearing size	



B042C218

Application	VOLKSWAGEN PASTSagitar
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	
Rated voltage	12V
Bearing size	355220



B042C220

Application	VOLKSWAGEN POLO
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	Denso7SEU16C
Rated voltage	12V
Bearing size	355222



B042C222

Application	VolkswagenPOLO
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	7SEU16C
Rated voltage	12V
Bearing size	35DB222



B042C224

Application	508 Jetta
Belt grooves	5PK
Pulley diameter	119mm
Compressor model	SD508
Rated voltage	24V
Bearing size	406224



B003C201

Application	AUDI Q74.2
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	
Pulley height	



B003C203

Application	AUDI A63.0L
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	6SEU14C
Rated voltage	12V
Bearing size	355222



B003C205

Application	AUDI AL2.0L
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	6SEU14C
Rated voltage	12V
Bearing size	355220



B003C207

Application	AUDI Q73.2
Belt grooves	7PK
Pulley diameter	119.5mm
Compressor model	Denso 7seu16c
Rated voltage	12V
Bearing size	355222



B003C202

Application	AUDI A31.6/2.0/3.2
Belt grooves	6PK
Pulley diameter	114mm
Compressor model	DCS17E
Rated voltage	12V
Bearing size	355222
Compressor OEM	1K0820803H



B003C204

Application	AUDI
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	DENSO7CS17C
Rated voltage	12V
Bearing size	355220
Pulley height	38.5mm



B003C206

Application	AUDI A42.5
Belt grooves	4PK
Pulley diameter	112mm
Compressor model	Denso6seu12c
Rated voltage	
Bearing size	355222



B003C208

Application	AUDI 2.4
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	7SEU17
Rated voltage	12V
Bearing size	355222



B003C209

Application	Audi A6L 2.0 (2014)
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	
Rated voltage	
Bearing size	35



B003C210

Application	Audi A6L 2.0 (2014)
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	
Rated voltage	
Bearing size	355



B003C211

Application	AUDI A8
Belt grooves	7PK
Pulley diameter	115mm
Compressor model	7SEU16C
Rated voltage	12V
Bearing size	355222



B003C212

Application	AUDI A7/A6L2.5
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	DENSON7CS17C
Rated voltage	12V
Bearing size	355220
Pulley height	38.5mm
Model year	2012



B003C213

Application	AUDI A41.9
Belt grooves	4PK
Pulley diameter	114mm
Compressor model	Denso6SEu12c
Rated voltage	12V
Bearing size	355222



B003C214

Application	AUDI Q5
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	7SEU17
Rated voltage	12V
Bearing size	355220



B003C215

Application	Audi A6 2.4 (older model)
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	7SUB16C
Rated voltage	12V
Bearing size	355222

B003C216

Application	AUDI A3
Belt grooves	6PK
Pulley diameter	119mm
Compressor model	SANDEN7V16
Rated voltage	12V
Bearing size	355520



B029C201

Application	ACTROSS
Belt grooves	11PK
Pulley diameter	135mm
Compressor model	7SBU16
Rated voltage	24V
Bearing size	355222



B029C202

Application	M.BENZ
Belt grooves	11PK
Pulley diameter	135mm
Compressor model	Denso10PA20C
Rated voltage	24V
Bearing size	305222



B029C203

Application	MercedesBenzw203
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	7SEU17C
Rated voltage	12V
Bearing size	355212



B029C204

Application	MercedesBenzw211
Belt grooves	6PK
Pulley diameter	105mm
Compressor model	7SEU17C
Rated voltage	12V
Bearing size	355212



B029C205

Application	M.BENZW210/210
Belt grooves	6PK
Pulley diameter	124mm
Compressor model	10PA20C
Rated voltage	12V/24V
Bearing size	355222



B029C206

Application	ACTROSS
Belt grooves	9PK
Pulley diameter	139mm
Compressor model	7SBU16
Rated voltage	24V
Bearing size	355222



B029C207

Application	ACTROSS
Belt grooves	6PK
Pulley diameter	124mm
Compressor model	Desns010PA20C
Rated voltage	12V
Bearing size	305222



B029C208

Application	BENZ Mercedes-Benz
Belt grooves	10PK
Pulley diameter	135mm
Compressor model	10PA20C
Rated voltage	24V
Bearing size	305222



B029C209

Application	MercedesBenz
Belt grooves	7PK
Pulley diameter	105mm
Compressor model	7SEU16c
Rated voltage	12V
Bearing size	355212



B029C210

Application	MercedesBenz
Belt grooves	5PK
Pulley diameter	115mm
Compressor model	7SEI16C
Rated voltage	12V
Bearing size	355212



B029C211

Application	M.BENZ
Belt grooves	5PK
Pulley diameter	105mm
Compressor model	7SEU16C
Rated voltage	12V
Bearing size	355212



B029C212

Application	MercedesBenz
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	DENSO7SEU17E
Rated voltage	12V
Bearing size	355212



B029C213

Application	Mercedes-Benz W140
Belt grooves	8PK
Pulley diameter	124mm
Compressor model	7SBU16C
Rated voltage	
Bearing size	305222



B029C214

Application	MercedesBenzw220
Belt grooves	8PK
Pulley diameter	105mm
Compressor model	7SEU17C
Rated voltage	12V
Bearing size	355212



B029C215

Application	M.BENZ
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	DENSO6SEU16C
Rated voltage	12V
Bearing size	355222



B029C216

Application	MercedesBenzw203
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	7seu17c
Compressor OEM	A0012301111
Rated voltage	12V
Bearing size	355222
Model year	2009



B005C201

Application	BMW X6 BMW
Belt grooves	6PK
Pulley diameter	125mm
Pulley height	34mm
Compressor model	
Rated voltage	
Bearing size	



B005C202

Application	BMW E39/E46
Belt grooves	5PK
Pulley diameter	109.5mm
Compressor model	Seiko-SeikiSS120DL1
Rated voltage	12V
Bearing size	325523
Compressor OEM	64526901206



B005C203

Application	BMW
Belt grooves	5PK
Pulley diameter	125mm
Compressor model	7SBU16C
Rated voltage	12V
Bearing size	355222



B005C204

Application	BMW E46E / E46
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355520



B005C205

Application	BMW 530
Belt grooves	4PK
Pulley diameter	100mm
Compressor model	7SEU17C
Rated voltage	
Bearing size	355212



B005C206

Application	BMW 760
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	
Rated voltage	
Bearing size	355212



B005C207

Application	BMW E90
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355220

B005C208

Application	BMW 735i
Belt grooves	4PK
Pulley diameter	112mm
Pulley height	
Compressor model	7SEU16C
Bearing size	355222



B005C209

Application	BMW E60
Belt grooves	4PK
Pulley diameter	100mm
Pulley height	
Compressor model	7SEU17C
Bearing size	355212



B005C211

Application	BMW
Belt grooves	5PK
Pulley diameter	115mm
Pulley height	30mm
Compressor model	7seu16c
Bearing size	355212



B005C213

Application	BMW X5
Belt grooves	4PK
Pulley diameter	100mm
Pulley height	30mm
Compressor model	CSE717
Bearing size	355220



B005C215

Application	BMW E34/524i
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	DENSO10P13C
Rated voltage	12V
Bearing size	305222
Compressor model	64526901206



B005C210

Application	BMW E36
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	JS
Rated voltage	2V
Bearing size	325523



B005C212

Application	BMW
Belt grooves	6PK
Pulley diameter	125mm
Pulley height	30mm
Compressor model	6seu16c
Bearing size	355212



B005C214

Application	BMW 735
Belt grooves	6PK
Pulley diameter	115mm
Pulley height	
Compressor model	6SEU16C
Bearing size	355212



B005C216

Application	BMW E39
Belt grooves	8PK
Pulley diameter	115mm
Compressor model	6seu16c
Pulley height	34mm
Bearing size	355220
Rated voltage	



B005C217

Application	BMW
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	JS
Rated voltage	12V
Bearing size	325523



B005C218

Application	BMW 530
Belt grooves	4PK
Pulley diameter	100mm
Pulley height	30mm
Compressor model	7seu16c
Bearing size	355212



B005C219

Application	MIN BMW / MIN
Belt grooves	6PK
Pulley diameter	109mm
Compressor model	ASTRANX
Rated voltage	12V
Bearing size	355020



B005C220

Application	BMW 318
Belt grooves	4PK
Pulley diameter	118mm
Compressor model	JS
Rated voltage	12V
Bearing size	355520



B005C221

Application	BMW X5
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	
Rated voltage	12V
Bearing size	325523



B005C222

Application	BMW
Belt grooves	4PK
Pulley diameter	109mm
Compressor model	ASTRANX
Rated voltage	12V
Bearing size	355020



B005C223

Application	Small Denso
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	JS
Rated voltage	12V
Bearing size	325523



B047C201

Application	Bus
Belt grooves	2B
Pulley diameter	167mm
Compressor model	10p33
Rated voltage	24V
Bearing size	457532



B047C202

Application	TOYOTA COASTER
Belt grooves	2B
Pulley diameter	167mm
Compressor model	10P30C
Rated voltage	24V
Bearing size	457532



B047C203

Application	TOYOTA COASTER
Belt grooves	1B
Pulley diameter	167mm
Compressor model	10P30C
Rated voltage	24V
Bearing size	457532



B047C204

Application	TOYOTA COASTER
Belt grooves	20
Pulley diameter	153mm
Compressor model	10P30C
Rated voltage	24V
Bearing size	457532



B047C205

Application	TRANSIT
Belt grooves	1B
Pulley diameter	132mm
Compressor model	SP21
Rated voltage	12V
Bearing size	355220



B047C206

Application	NISSAN COATER
Belt grooves	2A
Pulley diameter	157mm
Compressor model	TM21
Rated voltage	2V/24V
Bearing size	355220



B047C207

Application	TOYOTA COASTER
Belt grooves	5PK
Pulley diameter	153mm
Compressor model	10P30C
Rated voltage	12V
Bearing size	457532



B047C208

Application	BUS Minibus
Belt grooves	8PK
Pulley diameter	157mm
Compressor model	DKS32C
Rated voltage	24V
Bearing size	406830



B008C201

Application	Sanden LaCrosse
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	355222



B008C202

Application	Delphi GL8 Luzun
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355222



B008C203

Application	Sanden LaCrosse 2.4
Belt grooves	5PK
Pulley diameter	115mm
Compressor model	5D
Rated voltage	12V
Bearing size	355222



B008C204

Application	Delphi LaCrosse 2.4
Belt grooves	5PK
Pulley diameter	115mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355222



B008C205

Application	OPTRA Baojun
Belt grooves	6PK
Pulley diameter	131mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220625



B008C206

Application	BUICK
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B008C207

Application	Excele
Belt grooves	6PK
Pulley diameter	132mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625
Compressor OEM	96484932



B008C208

Application	V5-1A
Belt grooves	5PK
Pulley diameter	130mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220625



B008C209

Application	Malibu
Belt grooves	6PK
Pulley diameter	126mm
Compressor model	6010
Rated voltage	12V
Bearing size	355220



B008C210

Application	Buick Excelle GT
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	7SEV
Rated voltage	12V
Bearing size	355220



B008C211

Application	V5 Hongqi
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B008C212

Application	Small Buick
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406224



B008C213

Application	Sanden GL8 Luzun
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	
Rated voltage	12V
Bearing size	355222



B008C214

Application	Buick Encore
Belt grooves	4PK
Pulley diameter	98mm
Compressor model	
Rated voltage	12V
Bearing size	324718



B008C215

Application	Chevrolet
Belt grooves	6PK
Pulley diameter	127mm
Compressor model	Valeo
Rated voltage	12V
Bearing size	355222
Compressor OEM	96484932



B008C216

Application	Chevrolet
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	Valeo
Rated voltage	12V
Bearing size	355222



B008C217

Application	CHEVROLET LOVA
Belt grooves	6PK
Pulley diameter	124mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B008C218

Application	CHEVROLET CAPTIVA
Belt grooves	6PK
Pulley diameter	126mm
Compressor model	SVC
Rated voltage	12V
Bearing size	355222



B008C219

Application	CHEVROLET
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B008C220

Application	CHEVROLET EPICA
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B008C221

Application	NEWCHEVROLET CRUZE
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	10S17F
Rated voltage	12V
Bearing size	355222

B008C222

Application	CHEVROLET CRUZE(OLD)
Belt grooves	6PK
Pulley diameter	130mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	305222



B008C223

Application	CHEVROLET SAIL1.2
Belt grooves	4PK
Pulley diameter	120mm
Compressor model	10P30C
Rated voltage	12V
Bearing size	355222



B008C224

Application	CHEVROLET
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	10P30C
Rated voltage	12V
Bearing size	355222



B041C201

Application	VOVAL
Belt grooves	8PK
Pulley diameter	180mm
Compressor model	SD7H15
Rated voltage	24V
Bearing size	355520



B041C202

Application	DF
Belt grooves	10PK
Pulley diameter	153mm
Compressor model	SD7H15
Rated voltage	24V
Bearing size	355520



B041C203

Application	Tianjin
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	7A15
Rated voltage	12V
Bearing size	355520



B041C204

Application	Volvo S80
Belt grooves	8PK
Pulley diameter	157mm
Compressor model	DKS32CH
Rated voltage	12V
Bearing size	406830



B041C205

Application	709.8PK Large
Belt grooves	8PK
Pulley diameter	132mm
Compressor model	SD7H15
Rated voltage	24V
Bearing size	355520



B041C206

Application	709.8PK Small
Belt grooves	8PK
Pulley diameter	123mm
Compressor model	SANDEN7H15
Rated voltage	24V
Bearing size	305222



B041C207

Application	Fukang
Belt grooves	5PK
Pulley diameter	123mm
Compressor model	SD7A13
Rated voltage	12V
Bearing size	355520



B041C208

Application	709 Double A
Belt grooves	2A
Pulley diameter	132mm
Compressor model	SANDEN7H15
Rated voltage	24V
Bearing size	355520



B014C201

Application	
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	NippondensoSC08
Rated voltage	12V
Bearing size	355220



B014C203

Application	Fait1.3
Belt grooves	5PK
Pulley diameter	
Compressor model	
Rated voltage	1W
Bearing size	



B014C205

Application	Vios -A
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B014C207

Application	FiatDucato(244) Fiat
Belt grooves	5PK
Pulley diameter	117mm
Compressor model	SANDEN7V16
Rated voltage	12V
Bearing size	355520
Compressor OEM	504005418



B014C202

Application	Fiat
Belt grooves	
Pulley diameter	
Compressor model	
Rated voltage	
Bearing size	



B014C204

Application	Palio Fiat Palio
Belt grooves	6PK
Pulley diameter	124mm
Compressor model	SANDEN7V16
Rated voltage	12V
Bearing size	355520



B014C206

Application	Tianjin Rear
Belt grooves	4PK
Compressor model	SANDEN7HH15
Rated voltage	12V
Bearing size	355520
Compressor OEM	71721757



B014C208

Application	FiatBravo/Brava(182)/ / Doblo(223)/Palio(178DX/ / Punto(188)/Strada(178E) Fiat
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	DENSO SCS08
Rated voltage	12V
Bearing size	355220
Compressor OEM	442100-1026



B021C201

Application	ISUZUdoubleA
Belt grooves	2A
Pulley diameter	125mm
Compressor model	DKS17
Rated voltage	12V
Bearing size	355520



B021C202

Application	ISUZU-MAX
Belt grooves	1A
Pulley diameter	132mm
Compressor model	CR14
Rated voltage	12V
Bearing size	355520



B021C203

Application	ISUZU-DMAX
Belt grooves	2A
Pulley diameter	125mm
Compressor model	CR14
Rated voltage	12V
Bearing size	355520



B021C204

Application	ISUZU Single B
Belt grooves	1B
Pulley diameter	143.5mm
Compressor model	10PA20C
Rated voltage	240
Bearing size	305222



B036C201

Application	RENAULTI V5
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	V5
Rated voltage	12V
Bearing size	406200.625



B036C202

Application	RENAULTI
Belt grooves	1A
Pulley diameter	125mm
Compressor model	7415
Rated voltage	12V
Bearing size	355520



B036C203

Application	RENAULTI MeganeClassic
Belt grooves	7PK
Pulley diameter	125mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355520



B036C204

Application	RENAULTI MeganeClassic
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355520



B043C201

Application	CARTER
Belt grooves	8PK
Pulley diameter	145mm
Compressor model	SANDEN7H13
Rated voltage	24V
Bearing size	355520



B043C202

Application	CARTER
Belt grooves	1A
Pulley diameter	145mm
Compressor model	SANDEN7H13
Rated voltage	24V
Bearing size	355520



B043C203

Application	CARTER
Belt grooves	1B
Pulley diameter	146mm
Compressor model	DENSO10PA15C
Rated voltage	24V
Bearing size	305222



B043C204

Application	KOBELCO
Belt grooves	1B
Pulley diameter	
Compressor model	TH15
Rated voltage	24V
Bearing size	355520



B043C205

Application	CATERPILLAR320
Belt grooves	AO
Pulley diameter	145mm
Compressor model	DENSO10S17C
Rated voltage	24V
Bearing size	305222



B043C206

Application	CATERPILLAR330
Belt grooves	8PK
Pulley diameter	145mm
Compressor model	DENSO10S17C
Rated voltage	24V
Bearing size	305222



B043C207

Application	Isuzu Mixer truck
Belt grooves	1B
Pulley diameter	142mm
Compressor model	DENSO10PA15C
Rated voltage	24V
Bearing size	305222



B043C208

Application	Engineering vehicle
Belt grooves	
Pulley diameter	
Compressor model	TH15
Rated voltage	24V
Bearing size	355520



B043C209

Application	HYUNDAI -7
Belt grooves	1A
Pulley diameter	
Compressor model	DKV
Rated voltage	24V
Bearing size	355520



B043C211

Application	96 Engineering vehicle
Belt grooves	1A
Pulley diameter	
Compressor model	
Rated voltage	24V
Bearing size	



B043C213

Application	508 Large Single B Excavator
Belt grooves	1B
Pulley diameter	
Compressor model	5H14
Rated voltage	24V
Bearing size	406224



B043C215

Application	YORK-8PK
Belt grooves	CCI
Pulley diameter	153.5mm
Compressor model	
Rated voltage	12V/24V
Bearing size	305523



B043C210

Application	Komatsu140
Belt grooves	1B
Pulley diameter	
Compressor model	5D
Rated voltage	24V
Bearing size	406830



B043C212

Application	DKS Xindawei
Belt grooves	1A
Pulley diameter	
Compressor model	
Rated voltage	24V
Bearing size	



B043C214

Application	DAEWOO
Belt grooves	1A
Pulley diameter	
Compressor model	V5
Rated voltage	24V
Bearing size	406220.625



B043C216

Application	YORK
Belt grooves	2A
Pulley diameter	153.5mm
Compressor model	CCI
Rated voltage	
Bearing size	305523



B043C217

Application	Daewoo Excavator
Belt grooves	4PK
Pulley diameter	139mm
Compressor model	10PA15C
Rated voltage	24V
Bearing size	305222



B043C218

Application	VOLVOEXCAVATOR
Belt grooves	8PK
Pulley diameter	132mm
Compressor model	7H13
Rated voltage	24V
Bearing size	355520



B043C219

Application	VOLVO
Belt grooves	2A
Pulley diameter	132mm
Compressor model	7H13
Rated voltage	24V
Bearing size	355520



B043C220

Application	Isuzu Mixer truck
Belt grooves	1B
Pulley diameter	139mm
Compressor model	10PA15C
Rated voltage	24V
Bearing size	305222



B043C221

Application	Hino Tractor truck
Belt grooves	1B
Pulley diameter	143mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B043C222

Application	YORK
Belt grooves	Double A
Pulley diameter	178mm
Compressor model	
Rated voltage	12V/24V
Bearing size	305523

B043C223

Application	Mitsubishi Engineering vehicle
Belt grooves	1B
Pulley diameter	145mm
Compressor model	DKV
Rated voltage	24V
Bearing size	355520



B045C201

Application	Chery Qiyun / Fulwin
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	SD7V16
Rated voltage	12V
Bearing size	305222



B045C202

Application	Chery QQ6
Belt grooves	4PK
Pulley diameter	120mm
Compressor model	SP10
Rated voltage	12V
Bearing size	355220



B045C203

Application	Chery QQ
Belt grooves	4PK
Pulley diameter	114mm
Compressor model	SP10
Rated voltage	12V
Bearing size	355220



B045C204

Application	Chery A5
Belt grooves	6PK
Pulley diameter	
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B045C205

Application	Chery QQ6
Belt grooves	4PK
Pulley diameter	120mm
Compressor model	SP10
Rated voltage	12V
Bearing size	355220



B045C206

Application	TV16 Jetta
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	CSD7V16
Rated voltage	12V
Bearing size	355520



B045C207

Application	96 Zotye
Belt grooves	5PK
Pulley diameter	
Compressor model	JS
Rated voltage	24V
Bearing size	324718



B045C208

Application	Benben Single (Changan)
Belt grooves	1A
Pulley diameter	118mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B045C209

Application	96 Star
Belt grooves	10
Pulley diameter	115mm
Compressor model	JS
Rated voltage	12V
Bearing size	324718



B038C201

Application	96 Lingyang
Belt grooves	4PK
Pulley diameter	112mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718
Model year	2004



B045C210

Application	Sanden Florid
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	355222



B045C211

Application	96 Alsvin (2012)
Belt grooves	6PK
Pulley diameter	115mm
Compressor model	JS
Rated voltage	12V
Bearing size	324718



B045C212

Application	Great Wall H6/ Refine
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222

B045C213

Application	96 Engineering vehicle
Belt grooves	1A
Pulley diameter	110mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B038C202

Application	Beidouxing /QQ
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	JS96
Rated voltage	12V
Bearing size	32418



B038C203

Application	Swift
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B045C214

Application	Benben / Changan
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B045C215

Application	96 BMW
Belt grooves	5PK
Pulley diameter	110mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B038C204

Application	Older Suzuki
Belt grooves	4PK
Pulley diameter	98mm
Compressor model	10P08E
Rated voltage	12V
Bearing size	354817



B045C216

Application	Lifan 520
Belt grooves	6PK
Pulley diameter	
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C217

Application	96 Lubo
Belt grooves	5PK
Pulley diameter	115mm
Compressor model	JS96
Rated voltage	12V
Bearing size	324718



B038C205

Application	New Suzuki
Belt grooves	4PK
Pulley diameter	110mm
Compressor model	PANASON1C
Rated voltage	12V
Bearing size	324718



B038C206

Application	Liana
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	10S11C
Rated voltage	12V
Bearing size	305220



B045C218

Application	Haval
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	TH15
Rated voltage	12V
Bearing size	355520



B045C219

Application	Dongfeng Xiaokang
Belt grooves	1A
Pulley diameter	100mm
Compressor model	ATC
Rated voltage	12V
Bearing size	355020



B045C220

Application	Changan Alsvin
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C221

Application	Pickup Large 96 Double
Belt grooves	2A
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V/24V
Bearing size	325523



B045C222

Application	Alsvin
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C223

Application	Haval (Great Wall)
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	7H15
Rated voltage	12V
Bearing size	355520



B045C224

Application	Haval (Great Wall)
Belt grooves	6PK
Pulley diameter	112mm
Compressor model	SANDEN7B10
Rated voltage	12V
Bearing size	355520



B045C225

Application	JAC Liangjian
Belt grooves	2A
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C226

Application	Large 96 Single 12V
Belt grooves	1A
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C227

Application	Wingle
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B045C228

Application	Denso H6
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	305222



B045C229

Application	Flord
Belt grooves	6PK
Pulley diameter	114mm
Compressor model	JSP6
Rated voltage	12V
Bearing size	324718



B045C230

Application	Great Wall H6
Belt grooves	6PK
Pulley diameter	JS120
Compressor model	
Rated voltage	12V
Bearing size	325523C



B045C231

Application	Tengyi C30
Belt grooves	4PK
Pulley diameter	114mm
Compressor model	JSP6
Rated voltage	12V
Bearing size	324718



B045C232

Application	Lingyue V3
Belt grooves	5PK
Pulley diameter	123mm
Compressor model	JS120
Rated voltage	12V
Bearing size	325523



B033C201

Application	Regal2.0
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B033C202

Application	OPEL VECTRAG
Belt grooves	5PK
Pulley diameter	110mm
Compressor model	SD6v10
Rated voltage	12V
Bearing size	355020



B033C203

Application	OPEL
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B033C204

Application	OPEL ASTRA
Belt grooves	5PK
Pulley diameter	124mm
Compressor model	PXV16
Rated voltage	12V
Bearing size	355020



B033C205

Application	OPEL GOL
Belt grooves	5PK
Pulley diameter	124mm
Compressor model	CVC
Rated voltage	12V
Bearing size	355020



B034C201

Application	Citroen Xantia(X2)
Belt grooves	6PK
Pulley diameter	114mm
Compressor model	V5
Rated voltage	12V
Bearing size	355520
Compressor OEM	6453G59627011380/6453AQ



B034C202

Application	Citroen Jumper(230)
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	SANDEN7v16
Rated voltage	12V
Bearing size	355220
Compressor OEM	645370



B034C203

Application	Xantia(X2)/XM(Y4)
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	SANDEN7H13/7v16/709
Rated voltage	12V
Bearing size	355520
Compressor OEM	6435AX



B034C204

Application	Citroen Jumper(230)
Belt grooves	6PK
Pulley diameter	117mm
Compressor model	SANDEN7H13/7v16/709
Rated voltage	12V
Bearing size	355520
Compressor OEM	6453G5



B034C205

Application	D6V10-6PK
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	SD6V10
Rated voltage	12V
Bearing size	355220



B034C206

Application	Picasso
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	6V12
Rated voltage	12V
Bearing size	355520
Pulley	10#steel



B034C207

Application	Peugeot 508 / Citroen C5 / C-Triomphe / 408 / C2
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	SD6V10
Rated voltage	12V
Bearing size	355220



B034C208

Application	PEUGEOT 307/206
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	SD6V10
Rated voltage	12V
Bearing size	355520



B044C201

Application	SD508-2A
Belt grooves	2PK
Pulley diameter	132mm
Compressor model	SD508
Rated voltage	12V/24V
Bearing size	406224



B044C202

Application	SD508-6PK
Belt grooves	6PK
Pulley diameter	132mm
Compressor model	SD508
Rated voltage	12V/24V
Bearing size	406224



B044C203

Application	508 Double A
Belt grooves	2A
Pulley diameter	132mm
Compressor model	SD5H14
Rated voltage	12V
Bearing size	406224



B044C204

Application	508
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	SD508
Rated voltage	12V
Bearing size	406224



B044C205

Application	SD508-1B
Belt grooves	1B
Pulley diameter	144.5mm
Compressor model	SD508
Rated voltage	24V
Bearing size	406224



B044C206

Application	SD5H14-1B
Belt grooves	1B
Pulley diameter	139mm
Compressor model	SD5H14
Rated voltage	24V
Bearing size	406224



B044C207

Application	SANDEN508-10PK
Belt grooves	10PK
Pulley diameter	132mm
Compressor model	SANDEN508
Rated voltage	24V/12V
Bearing size	406224



B044C208

Application	SANDEN508-8PK
Belt grooves	8PK
Pulley diameter	132mm
Compressor model	SANDEN508
Rated voltage	24V/12V
Bearing size	406224



B037C201

Application	TER10S
Belt grooves	4PK
Pulley diameter	96mm
Compressor model	SV07
Rated voltage	12V
Bearing size	304720



B037C202

Application	SABARU
Belt grooves	6PK
Pulley diameter	120mm
Compressor model	DKV10R
Rated voltage	12V
Bearing size	355520



B037C203

Application	SABARU FORESTER2.5L
Belt grooves	4PK
Pulley diameter	120mm
Compressor model	DKV14G
Rated voltage	12V
Bearing size	324718



B048C201

Application	550 Roewe 550
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10A17C
Rated voltage	12V
Bearing size	355222



B048C202

Application	WulingSunshine
Belt grooves	4PK
Pulley diameter	
Compressor model	7B10
Rated voltage	12V
Bearing size	355220



B048C203

Application	V5 Brilliance
Belt grooves	5PK
Pulley diameter	1123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B048C204

Application	750(Roewe)
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10PA
Rated voltage	12V
Bearing size	355222



B048C205

Application	Xindawei (30/35)
Belt grooves	1B
Pulley diameter	167mm
Compressor model	10S17C
Rated voltage	24V
Bearing size	355222



B048C206

Application	508 Jinbei / Maple
Belt grooves	6PK
Pulley diameter	132mm
Compressor model	SD508
Rated voltage	12V
Bearing size	406224



B048C207

Application	Wulingglory
Belt grooves	4PK
Pulley diameter	115mm
Compressor model	10P10B
Rated voltage	12V
Bearing size	355520



B048C208

Application	Besturn B50
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	Valeo
Rated voltage	12V
Bearing size	355520



B048C209

Application	Delong 3000
Belt grooves	1A
Pulley diameter	125mm
Compressor model	10S17C
Rated voltage	24V
Bearing size	355222



B048C210

Application	Granse
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	355222



B048C211

Application	V5 Cummins
Belt grooves	6PK
Pulley diameter	128mm
Compressor model	V5
Rated voltage	24V
Bearing size	406224



B048C212

Application	V5 Hualing Double O
Belt grooves	20
Pulley diameter	125mm
Compressor model	V5
Rated voltage	24V
Bearing size	406220.625



B048C213

Application	Fengtian Jinbei
Belt grooves	4PK
Pulley diameter	98mm
Compressor model	TR090
Rated voltage	12V
Bearing size	355020



B048C214

Application	Santana Small Shaft
Belt grooves	2A
Pulley diameter	125mm
Compressor model	SD
Rated voltage	12V
Bearing size	355520



B048C215

Application	Santana Small Shaft
Belt grooves	2A
Pulley diameter	125mm
Compressor model	SD507
Rated voltage	12V
Bearing size	355520



B048C216

Application	508 Qingling
Belt grooves	1A
Pulley diameter	125mm
Compressor model	SD
Rated voltage	12V
Bearing size	355520



B048C217

Application	Besturn B70
Belt grooves	6PK
Pulley diameter	118mm
Compressor model	10S17C
Rated voltage	24V
Bearing size	355220



B048C218

Application	JMC Landwind
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	10S17C
Rated voltage	12V
Bearing size	355222



B048C219

Application	JMC Shunda / Kaiyun
Belt grooves	6PK
Pulley diameter	110mm
Compressor model	5SEU16C
Rated voltage	12V
Bearing size	355220



B048C220

Application	Santana
Belt grooves	2PK
Pulley diameter	125mm
Compressor model	SD507
Rated voltage	12V
Bearing size	406224



B048C221

Application	Mudanjiang Tianjin
Belt grooves	8PK
Pulley diameter	123mm
Compressor model	10S17C
Rated voltage	24V
Bearing size	355222



B048C222

Application	SD508-1A
Belt grooves	1A
Pulley diameter	125mm
Compressor model	SD508
Rated voltage	12V
Bearing size	406224



B048C223

Application	Fengtian Jinbei Large bore
Belt grooves	4PK
Pulley diameter	mm
Compressor model	TP090
Rated voltage	12V
Bearing size	405724



B048C224

Application	Mudanjiang Geely King Kong
Belt grooves	4PK
Pulley diameter	105mm
Compressor model	SP10
Rated voltage	12V
Bearing size	355220



B048C225

Application	V5 Eastar
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B048C226

Application	350(Roewe)
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10PA17C
Rated voltage	12V
Bearing size	355222



B048C227

Application	V5 Succe
Belt grooves	6PK
Pulley diameter	123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B048C228

Application	Sanden Granse
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B048C229

Application	Sanden Landwind
Belt grooves	4PK
Pulley diameter	125mm
Compressor model	10PA11C
Rated voltage	12V
Bearing size	305222



B048C230

Application	Delong
Belt grooves	6PK
Pulley diameter	125mm
Compressor model	10S17C
Rated voltage	24V
Bearing size	355222



B048C231

Application	V5 Jinbei
Belt grooves	4PK
Pulley diameter	123mm
Compressor model	V5
Rated voltage	12V
Bearing size	406220.625



B048C232

Application	CROSSWIND
Belt grooves	2A
Pulley diameter	139.5mm
Compressor model	10PA15C
Rated voltage	12V
Bearing size	305222



B049C201

3000

96.4x61.6x27.6x40mm



B049C202

Mercedes-Benz

96.4x61.6x27.6x40mm



B049C203

Caterpillar excavator

96.4x61.6x27.6x40mm



B049C204

Accord 2.2

96.4x61.6x27.6x40mm



B049C205

87x59.6x25x40mm



B049C206

Camry

96.4x61x25x40mm



B049C207

96.4x61x25x40mm



B049C208

Honda Accord 2.4

96.4x61x25x40mm



B049C209

Cummins

103x72x35.5x51.8mm



B049C210

Bora

103x72x35.5x51.8mm



B049C211

Jetta

103x72x35.5x51.8mm



B049C212

Small Buick

103x72x35.5x51.8mm



B049C213

Jinbei

103x72x35.5x51.8mm



B049C214

Estar

103x72x35.5x51.8mm



B049C215

Brilliance

103x72x35.5x51.8mm



B049C216

Small Hongqi

92.5x71.5x32x51.8mm



B049C217

Large Buick

92.5x71.5x32x51.8mm



B049C218

507

96x64x31x45mm



B049C219

505

96x64x28.5x45mm



B049C220

Santana

96x66x34.5x50mm



B049C221

2000

96x66x34.5x50mm



B049C222

Jetta

96x66x34.5x50mm



B049C223

Fukang

96x64x32.5x45mm



B049C224

Bora

103x64x32x45mm



B049C225

7V16 Jetta

103x64x27x45mm



B049C226

706

86x59x29x45mm



B049C227

709A

96x64x31.5x45mm



B049C228

709B

96x64x32.5x45mm



B049C229

Transit

115x63.5x29.5x63.9mm



B049C230

Fiesta

101x66x34x63.9mm



B049C231

Sonata

101x66x35.5x63.9mm



B049C232

Elantra

101x66x35.5x63.9mm



B049C233

86x59x32x45mm



B049C234

86x59x32x45mm



B049C235

Fit

86x59x35.5x45mm



B049C236

Mondeo

84x58.5x34x45mm



B049C237

86x59x34.5x45mm



B049C238

86x59x32x45mm



B049C239

88x58x34x45mm



B049C240

Focus

97x63.5x31x45mm



B049C241

DKS17

105x65.5x28x40mm



B049C242

Lingshuai

105x65.5x28x40mm



B049C243

DKS Excavator

105x65.5x28x40mm



B049C244

US200

111x66x31.5x44mm



B049C245

96

85x55x23.5x40mm



B049C246

DKS32c

121x79x42.5x50mm



B049C247

Hafei

78x55x38.5x45mm



B049C248

TM-1

101x66x28x40mm



B049C249

101x66x28x40mm



B049C250

101x66x28x40mm



B049C251

V6 Cefiro

103x72x30x50mm



B049C252

Mazda 6

111.5x66x32x42mm



B049C253

Mazda 3

88x58.6x33x42mm



B049C254

101x66x26x45mm



B049C255

Fengshen 3rd generation

101x66x26x45mm



B049C256

Fengshen 2nd generation

105x65.5x28x40mm



B049C257

City

96x64x32.5x45mm



B049C258

Mondeo

86.2x59x35.5x45mm



B049C259

New model CRV

86.2x59x33.5x45mm



B049C260

Civic

86.2x59x32x45mm



B049C261

95.8x64x31.5x45mm



B049C262

V3 Lingyue

95.8x64x29x45mm



B049C263

Tiida

95.8x64x27x45mm



B049C264

96x58x24.8x40mm



B049C265

SP10QQ

91.7x61.6x25.4x42mm



B049C266

Outlander

83x57.5x29.5x45mm



B049C267

Fengtian Jinbei

92x60x30.5x45mm



B049C268

Gol

92x60x26.6x45mm



B049C269

Small Opel

92x60x26.6x45mm



B049C270

JMC Transit

96.4x61.6x27.6x42mm



B049C271

Jinbei Granse

96.4x61.6x27.6x42mm



B049C272

Xindawei

96.4x61.6x27.6x42mm



B049C273

Cruze

96.4x61.6x27.6x40mm



B049C274

101x66x25.5x45mm



B049C275

Daewoo Excavator

96.4x61.6x27.6x40mm



B049C276

Accent

100x60x26.5x45mm



B049C277

X-Trail

101x66x27.5x45mm



B049C278

116

88x58.6x33.2x45mm



B049C279

Foton Auman

88x58.6x33.2x45mm



B049C280

Panasonic Single A

101x66x32x42mm



B049C281

Teana 2.5

101x66x28.1x40mm



B049C282

Hyundai Excavator

105x65.5x35.5x44mm



B049C283

Aowe

105x65.5x28x40mm



B049C284

GL8 Luzun

96.2x61.6x27.6x40mm



B049C285

LaCrosse 2.4

96.6x62.6x27.5x45mm



B049C286

Peugeot 307

96x64x31.5x45mm



B049C287

104.8x66.5x28x40mm



B049C288

104.8x66.5x28x40mm



B049C289

96.4x61x25x40mm



B049C290

Forester

85x55x23.5x40mm



B049C291

96x64x32x40mm



B049C292

104.8x66.5x28x40mm



B049C293

Teana 2.3

122x66x22x40mm



B049C294

101x66x28x44mm



B049C295

101x66x28x40mm



B049C296

96x64x31.5x40mm



B049C297

80.2x55.3x22x40mm



B049C298

Suzuki

87.2x62x25.9x39mm



B049C299

102x70.7x30x50mm



B049C2100

107x70.6x32x50mm

BEARING SIZE

Inner diameter
x Outer diameter
x Height

Dimensions in mm



B050C201

Vios Bearing

30x52x20mm



B050C202

507 Bearing

35x55x20mm



B050C203

96 Bearing

32x47x18mm



B050C204

B5 Bearing

35x52x22mm



B050C205

Santana Bearing

40x57x24mm



B050C206

Toyota Bearing

30x52x22mm



B050C207

706 Bearing

35x50x20mm



B050C208

Panasonic Bearing

32x55x23mm



B050C209

HCC bearing

30x55x23mm



B050C210

Qq Bearing

35x52x20mm



B050C211

New Honda Bearing

35x48x20mm



B050C212

Benben Bearing

30x47x20mm



B050C213

V5 Bearing

40x62x20.625mm



B050C214

508 Bearing

40x62x24mm



B050C215

32C Bearing

40x68x30mm



B050C216

30C Bearing


45x75x32mm



PROFESSIONAL AUTO AC SYSTEM SUPPLIER

AUTOMOTIVE A/C

COMPRESSOR CLUTCHES



Guangzhou Bohanchi Automotive Parts Co., Ltd.

No. 52 Kexue Avenue, Huangpu District,

Guangzhou City, Guangdong Province, China

Postcode: 510700

www.bohanchi.com

Email: autoparts@bohanchi.com

WhatsApp: 86 18529152917

